




EE/EEL系列变压器 EE/EEL series transformers

结构及外形尺寸 Dimensions of structure and shape



Part Number	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	D (mm)	G (mm)	Pins (Optional)
GBEE10	12 max	12 max	12 max	2.0±0.5	8.5±0.5	3.5±0.5	0.6±0.1	5+5
GBEE13	15 max	15 max	15 max	2.5±0.5	10.5±0.5	3.5±0.5	0.6±0.1	5+5
GBEE16	18 max	18 max	15 max	3.0±0.5	11.0±0.5	3.5±0.5	0.6±0.1	4+4
GBEE19	21 max	22 max	16 max	3.8±0.5	12.5±0.5	3.5±0.5	0.7±0.1	5+5
GBEE20	22 max	25 max	21 max	3.5±0.5	21.0±0.5	3.5±0.5	0.8±0.1	5+2
GBEE22	27 max	21 max	17 max	3.5±0.5	17.0±0.5	3.5±0.5	0.8±0.1	5+4
GBEE25	27 max	31 max	23 max	4.0±0.5	27.0±0.5	3.5±0.5	0.8±0.1	5+2
GBEE28	30 max	28 max	23 max	4.0±0.5	19.5±0.5	3.5±0.5	0.8±0.1	6+6
GBEE30	32 max	31 max	23 max	5.0±0.5	25.0±0.5	4.0±0.5	0.8±0.1	5+5
GBEE32	35 max	32 max	32 max	5.0±0.5	30.0±0.5	3.5±0.5	1.0±0.1	6+6
GBEE33	35 max	31 max	26 max	5.0±0.5	25.0±0.5	3.5±0.5	0.8±0.1	7+7
GBEE35	37 max	30 max	30 max	2.5±0.5	25.0±0.5	3.5±0.5	0.6±0.1	13+13
GBEE35	37 max	39 max	27 max	5.0±0.5	22.0±0.5	3.5±0.5	0.8±0.1	6+6
GBEE36	38 max	38 max	31 max	5.0±0.5	30.0±0.5	3.5±0.5	0.7±0.1	8+8
GBEE38	40 max	28 max	36 max	22.0±0.5	24.0±0.5	3.5±0.5	1.0±0.1	2+2
GBEE40	42 max	36 max	28 max	5.0±0.5	26.0±0.5	3.5±0.5	0.8±0.1	7+7

特性 Features

EE/EEL类型变压器引线空间大，绕制接线方便。适用范围广、工作频率高、工作电压范围宽、输出功率大、热稳定性好

EE/EEL type transformer has large lead space and convenient winding connection. Wide application range, high working frequency, wide working voltage range, large output power, good thermal stability

工作温度范围:-40~125°C

Operating temperature range:-40~125°C

应用 Applications

网络产品，路由器

Network product, router

服务器，音响功放

Server, audio amplifier

医疗仪器电源, 工业电源

Medical instrument power supply, industrial power supply

智能家用电器

Intelligent household appliances

★ 产品可以按客户要求定制

Products can be customized according to customer requirements